

To prescribe ARCALYST, please follow these steps:

**1 Have your patient read the Patient Consent Information form and sign the signature field**

Give your patient a copy of the Patient Consent Information form. If the form is not signed at submission, a Patient Access Lead with the Kiniksa OneConnect™ program can subsequently acquire a signature electronically.

**2 Complete this enrollment form and download a copy. Please be sure all of the items in this HCP instructions checklist are completed on the enrollment form:**

- Fill out all required fields;** incomplete fields may delay the start of treatment
- Sign and date** the enrollment form in PRESCRIBER CERTIFICATION (section 6)
- Fully complete the PRESCRIPTION (section 5)
- Complete INSURANCE INFORMATION (section 2) and **provide copies of your patient’s medical and prescription insurance cards**
- Include a patient demographic sheet if available
- If required, please submit a completed Prior Authorization (PA) to the payer

**3 Fax the enrollment form to 1-781-609-7826. Following enrollment:**

- A Patient Access Lead with the Kiniksa OneConnect™ program will contact your patient to discuss the next steps to take to get their ARCALYST prescription filled
- The specialty pharmacy will coordinate delivery of the prescription to the address provided in section 1 of the enrollment form

If you have any questions about the Kiniksa OneConnect™ program, please call **833-KINIKSA (833-546-4572)**, **Option 1**. To learn more about ARCALYST, visit **ARCALYST.com/HCP**

**Recurrent Pericarditis and Related ICD-10 Codes:**

- There is not a specific ICD-10 code for recurrent pericarditis; however, codes exist that can be used for recurrent pericarditis
  - Payers may require an ICD-10 code on a prior authorization form
  - Specialty pharmacies may also ask for a patient’s ICD-10 code
- On the right are some codes associated with recurrent pericarditis
  - The decision on assigning an ICD-10 code is up to a physician’s discretion and knowledge of their patients’ condition(s)
  - This is not an all-inclusive list. Payers may require other ICD-10 codes for recurrent pericarditis not listed here
  - Use of the listed codes is not a guarantee of coverage or payment

ICD-10 Code	Description
I30.0	Acute nonspecific idiopathic pericarditis
I30.9	Acute pericarditis, unspecified
I31.9	Disease of pericardium, unspecified

Please see **full Prescribing Information** available at **ARCALYST.com/hcp**



**Fax completed enrollment form (pages 2-4) to 1-781-609-7826.**

## PATIENT CONSENT INFORMATION

Please read the following, then complete and sign the areas indicated below.

I understand that the Kiniksa OneConnect™ program (“the Program”) is a patient support service offered by Kiniksa Pharmaceuticals (“Kiniksa”) to help eligible patients who have been prescribed a Kiniksa therapy to obtain financial assistance and access other patient support programs and services provided by the Program.

By signing below, I authorize my healthcare providers and staff (eg, physicians, pharmacies) and my insurance company to disclose in electronic or other form, personal health information about me, including information related to my medical condition and any treatment, my health insurance coverage, and my address, email address, and telephone number (collectively, my “PHI”) to Kiniksa, its affiliates, agents, contractors, and representatives, and the Program so that Kiniksa may review, use, and disclose the PHI and information on this form for purposes of: (1) verifying, investigating, assisting with, and coordinating my coverage for the therapy with my healthcare provider or health insurers; (2) assessing my eligibility for co-pay assistance or free drug or referring me to other programs and sources of funding and financial support; (3) coordinating delivery of the therapy to me or my healthcare provider; (4) providing education, information on Kiniksa products, and support services to me related to the therapy; (5) gathering feedback on my therapy and/or disease state; (6) contacting me by mail, email, phone, or text for any of the above purposes; and (7) creating information that does not identify me personally for use other than for the legitimate purposes as set forth in this authorization. I also authorize Kiniksa and my healthcare providers and my insurance company to use my PHI to communicate with me about Kiniksa products and services. I authorize my pharmacy and Kiniksa contractors to receive remuneration from Kiniksa for disclosing or using my PHI and/or for providing support services as outlined in this authorization. I understand that once disclosed pursuant to this authorization, my PHI may no longer be protected under federal or state law and could be disclosed by Kiniksa to others, but I also understand that Kiniksa will make reasonable efforts to keep my PHI private and to disclose it only for purposes set forth in this authorization.

I understand that I do not have to sign this authorization to obtain health care treatment or benefits; however, in order to receive the services and communications described above, I must sign the authorization. I understand that I may cancel my authorization at any time by contacting Kiniksa by fax at 1-781-609-7826, or by mail at Kiniksa OneConnect Program, 100 Hayden Avenue, Lexington, MA 02421. My cancellation of this authorization will be effective for Kiniksa upon receipt, and will be effective for each of my healthcare providers and insurance companies when they are notified of it, but the cancellation will not affect prior uses or disclosures of PHI.

I understand that I have a right to receive a copy of this authorization.

I understand that this authorization will remain valid for 5 years after the date I sign it as shown below, unless I cancel it earlier as described above, or unless a shorter period is required under state or local laws.

If the form is not signed at submission, a Patient Access Lead with the Kiniksa OneConnect™ program can subsequently acquire a signature electronically.

### \*Required information.

**\*PATIENT CONSENT** If patient consent on this form during submission is not possible, consent can be acquired electronically.

I have read, understand, and agree to all the PATIENT CONSENT INFORMATION and verify that the information I have provided in this authorization is complete and accurate.

\*Printed Name of Patient, Legal Guardian, or Personal Representative:

\*Relationship to Patient:

Email:

**\*Signature of Patient, Legal Guardian, or Personal Representative:** \_\_\_\_\_ **\*Date:** \_\_\_\_\_

### Please review the statements below. Checking these boxes is optional.

- By checking this box, I consent to receive recurring text messages from the Kiniksa OneConnect™ program, including service updates and medication reminders, to the number I have provided. Message and data rates may apply. I am not required to provide my consent as a condition to receiving any goods or services. I can text STOP to unsubscribe any time. For more details, please visit [kinixsapolicies.com/privacy.html](http://kinixsapolicies.com/privacy.html)
- By checking this box, I consent to participate in marketing surveys and receive marketing communications and materials from Kiniksa via phone, mail, or email. I understand that the personal data I provide on this form may be shared with third parties operating on behalf of Kiniksa to conduct market research. I also authorize Kiniksa and these third parties to contact me for market research purposes. I understand that I may opt out of receiving such messages at any time by calling **833-KINIKSA (833-546-4572)** or emailing [KiniksaOneConnect@kiniksa.com](mailto:KiniksaOneConnect@kiniksa.com).

For details about how Kiniksa collects and uses personal information, your privacy rights, and specific notices for California residents, please visit: [kinixsapolicies.com/privacy.html](http://kinixsapolicies.com/privacy.html)

**1 \*PATIENT INFORMATION**

First name:	MI:	Last name:	Suffix:	DOB:
Home address:		City/State:		ZIP:
Alternate address:		City/State:		ZIP:
Ship treatment to: <input type="checkbox"/> Home address <input type="checkbox"/> Alternate address				Sex: <input type="checkbox"/> M <input type="checkbox"/> F
Preferred phone: _____ <input type="checkbox"/> Home <input type="checkbox"/> Mobile <input type="checkbox"/> Work			Alternate phone: _____ <input type="checkbox"/> Home <input type="checkbox"/> Mobile <input type="checkbox"/> Work	
Email:		Preferred contact method: <input type="checkbox"/> Phone (OK to leave messages: <input type="checkbox"/> Y <input type="checkbox"/> N) <input type="checkbox"/> Text <input type="checkbox"/> Email		
Best time to contact: <input type="checkbox"/> Weekday mornings <input type="checkbox"/> Weekday afternoons <input type="checkbox"/> Weekday evenings			Language: <input type="checkbox"/> English <input type="checkbox"/> Spanish <input type="checkbox"/> Other _____	
Alternate contact first name:		Last name:	Relationship to patient:	
Phone:	Email:		OK to leave messages: <input type="checkbox"/> Y <input type="checkbox"/> N	

**MEDICAL HISTORY**

**Current medications** \_\_\_\_\_

**Allergies:**  No Known Drug Allergies  Other: \_\_\_\_\_

**2 \*INSURANCE INFORMATION**

Please provide both medical and pharmacy insurance information. Also, **fax a copy of the front and back of the patient's medical and prescription insurance cards** with the completed enrollment form.

	Medical Insurance	Pharmacy Insurance	
Insurance Provider			
Insurance Phone #			
Cardholder Name (if not the patient)			
Relationship to Patient:			
Cardholder DOB			
Member ID #			
Group #			
RxBIN / RxPCN		Rx Bin	RxPCN

**3 \*PRACTICE AND PRESCRIBER INFORMATION**

**Office/Clinic/Institution name:** \_\_\_\_\_

Address: \_\_\_\_\_ City/State: \_\_\_\_\_ ZIP: \_\_\_\_\_

Enrollment Form/Office Contact			Prior Authorization Office Contact (if different from Enrollment Form/Office Contact)		
First Name:	Last Name:		First Name:	Last Name:	
Email:			Email:		
Direct Phone:	Ext	Fax:	Direct Phone:	Ext	Fax:

**Prescriber first name:** \_\_\_\_\_ **Prescriber last name:** \_\_\_\_\_

Address: \_\_\_\_\_ City/State: \_\_\_\_\_

NPI #: \_\_\_\_\_ Tax ID #: \_\_\_\_\_

**4 \*DIAGNOSIS FOR ARCALYST® (riloncept) TREATMENT (Choose only ONE diagnosis below, A or B)**

**A Recurrent Pericarditis (RP) Diagnosis**

**OR B Other Diagnosis for ARCALYST Treatment**

- I30.0** Acute nonspecific idiopathic pericarditis     **I30.9** Acute pericarditis, unspecified     **I31.9** Disease of pericardium, unspecified
- Unknown ICD-10 Code**     **Other ICD-10 for RP Patient** \_\_\_\_\_

Diagnosis: \_\_\_\_\_  
ICD-10-CM: \_\_\_\_\_

**5 \*PRESCRIPTION FOR ARCALYST® (riloncept) injectable sterile powder for reconstitution, 220 mg/vial**  
**Reconstitute each single-dose vial of ARCALYST with 2.3 mL preservative-free sterile water for injection, resulting in 80 mg/mL solution. See full Prescribing Information for complete Dosing and Administration instructions.**

**Patient first name:** \_\_\_\_\_ **Last name:** \_\_\_\_\_ **DOB:** \_\_\_/\_\_\_/\_\_\_

RECURRENT PERICARDITIS (RP) WEEKLY DOSING	<p><b>FOR PATIENTS ≥18 YEARS OF AGE</b> for Recurrent Pericarditis (RP)</p> <p><b>ARCALYST is dispensed as 4 vials per carton.</b></p> <p><input type="checkbox"/> <b>LOADING DOSE:</b> Inject 320 mg [given as two x 2 mL (160 mg) injections] subcutaneously on day 1. Inject each dose at a different injection site. Then inject 2 mL (160 mg) for maintenance dose subcutaneously once weekly thereafter. Rotate injection sites.</p> <p><b>Quantity:</b> 4 vials    <b>Days Supply:</b> 21    <b>Refills:</b> 0</p> <p><input type="checkbox"/> <b>MAINTENANCE DOSE</b> Inject 2 mL (160 mg) subcutaneously once weekly. Rotate injection sites.</p> <p><b>Quantity:</b> 4 vials    <b>Days Supply:</b> 28</p> <p><b>Refills:</b> <input type="checkbox"/> 12    <input type="checkbox"/> Other _____</p>	<p><b>FOR PATIENTS 12 TO 17 YEARS OF AGE</b> for Recurrent Pericarditis (RP)</p> <p><b>ARCALYST is dispensed as 4 vials per carton.</b></p> <p><input type="checkbox"/> <b>LOADING DOSE</b> Inject (from LD calculation below) _____ mL (_____ mg) subcutaneously on day 1. If injection volume is greater than 2 mL, administer as two injections at different injection sites. <b>Loading dose should not exceed 320 mg (4 mL).</b></p> <p><b>Patient weight:</b> _____ kg x 4.4 mg = Loading Dose (LD): _____ mg ÷ 80 mg/mL = _____ mL</p> <p><b>Quantity:</b> _____ vials    <b>Refills:</b> 0</p> <p><input type="checkbox"/> <b>MAINTENANCE DOSE</b> Inject (from MD calculation below) _____ mL (_____ mg) subcutaneously once weekly. <b>Maintenance dose should not exceed 160 mg (2 mL).</b> Rotate injection sites.</p> <p><b>Patient weight:</b> _____ kg x 2.2 mg = Maintenance Dose (MD): _____ mg ÷ 80 mg/mL = _____ mL</p> <p><b>Quantity:</b> 4 vials    <b>Days Supply:</b> 28</p> <p><b>Refills:</b> <input type="checkbox"/> 12    <input type="checkbox"/> Other _____</p>
---	---	---

**Include supplies listed below for administration of ARCALYST (quantity and refills align with above ARCALYST dosing).**

**Preservative-free sterile water for injection**

- 4 vials (5 mL or whatever is available) for loading/initial maintenance doses
- 4 vials (5 mL or whatever is available) for monthly maintenance doses

**Ancillary supplies**

- 10 sterile 3-milliliter (mL) disposable syringes
- 6 sterile disposable needles, 26-gauge, 1/2-in
- 12 sterile blunt beveled needles with needle covers, 18-gauge, 1-in, or 1½-in
- 20 alcohol wipes
- 8 gauze pads
- 1 puncture-resistant container for disposal of used needles, syringes, and vials

**QUICK START:** Up to 60 days supply of free drug for eligible patients while awaiting payer determination. Prior authorization submission required. Terms and conditions apply.

**Injection training for patient** will be conducted by:     Prescriber/Practice (In-Office)     Kiniksa OneConnect™ Program Injection Training Support

**6 \*PRESCRIBER CERTIFICATION**    Please manually sign and date below. No rubber stamps, signature by other office personnel, or computer generated images are allowed.

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute

**Prescriber's signature:** \_\_\_\_\_

**NPI#:** \_\_\_\_\_    **Date:** \_\_\_\_\_

**If NP or PA, under direction of Dr. \_\_\_\_\_ License #:** \_\_\_\_\_

May Substitute / Product Selection Permitted / Substitution Permissible

**Prescriber's signature:** \_\_\_\_\_

**NPI#:** \_\_\_\_\_    **Date:** \_\_\_\_\_

**If NP or PA, under direction of Dr. \_\_\_\_\_ License #:** \_\_\_\_\_

**OR**

The prescriber is to comply with his/her state specific prescription requirements such as e-prescribing, state specific prescription form, fax language, etc. Non-compliance with state specific requirements could result in outreach to the prescriber. **ATTN: New York and Iowa providers, please submit electronic prescriptions for ARCALYST (riloncept) AND sterile water.**

By signing above, I certify that (1) the information contained in this application is current, complete, and accurate to the best of my knowledge; (2) the therapy is medically necessary and in the best interest of the patient identified above; (3) I have obtained and provided any consent required under federal and state law for the release and use of the patient's personal health information including diagnosis, treatment, medical information and insurance information contained on this form to Kiniksa Pharmaceuticals ("Kiniksa") and its agents, including commercial and field-based teams, for purposes of benefits verification and coordination of dispensing therapy, or to otherwise assist the patient to initiate or continue the prescribed therapy and/or to evaluate the patient's eligibility for the QuickStart Program, Patient Assistance Program, or other programs for ARCALYST; and (4) I will not seek payment from any payer, patient, or other source for free product provided directly to the patient.

I understand that I am under no obligation to prescribe any Kiniksa therapies, to participate in the Kiniksa OneConnect™ program, and that I have not received, nor will I receive, any benefit from Kiniksa for prescribing a Kiniksa therapy. I certify that I am a legal resident of the United States (or US territories). I authorize Kiniksa and its agents to convey the above prescription by any means allowed under applicable law to the dispensing pharmacy.